# SPECIFICATION SHEET

# **DESCRIPTION 90 5014**

• 13G HPPE cut resistant gloves, with foam nitrile palm coating

# FEATURES AND BENEFITS

- Durable HPPE knitting with excellent cut resistance
- Anti-abrasion & anti-slip
- High performance cut resistant level secure against mechanical hazards
- Foam nitrile finished coating with exellent grip in wet and oil environments

#### **APPLICATIONS**

- Metal & Glass Handling
- Sharp small parts handling
- Automotive industry
- Wood working
- Sanitation&Recycling
- Transportation
- Warehousing
- Construction
- General maintenance

#### **CARE INSTRUCTIONS**

Abrasion resistance

Abrasion resistance Blade cut resistance Tear strength resistance Punture resistance Cut Resistance method (EN ISO 13997)

 Machine wash in warm water with Detergent and Bleach. Rinse well and spin extract using high speed. Tumble dry on Low heat setting. Proper washing will inhibit odors caused by the growth of bacteria or mold.

# **TECHNICAL DATA**

| Description | 13G HPPE cut resistant gloves, with foam nitrile palm coating |     |     |       |        |                 |
|-------------|---|-----|-----|-------|--------|-----------------|
| Materials   | Liner: HPPE knit  |     |     |       |        |                 |
|             | Coating: foam nitrile palm coating                            |     |     |       |        |                 |
| Cuff Style  | Elastic seamless knit   |     |     |       |        |                 |
| Color       | Grey,Green,Blue   |     |     |       |        |                 |
| Size        | 7/S   | 8/M | 9/L | 10/XL | 11/XXL |                 |
| Length (cm) | 23  | 24  | 25  | 26    | 27     |                 |
| Palm width  | 9   | 9.5 | 10  | 10.5  | 11     | Tolerance: ±5mm |
| (cm)        | 9   | 9.5 | 10  | 10.5  | 11     |                 |
| Packing     | Printing logo, 12 pairs per bag,120 pairs per case            |     |     |       |        |                 |

# **STANDARDS**

- CE CATEGORY: II Intermediary risk in accordance with:
- EN 420 / AS / NZS2161.2:2016 General Requirements
- EN 388 / AS / NZS2161.3:2016 Protection Against Mechanical Risks

SHANGHAI PAFA PRODUCTS CO., LTD | PROTECT TODAY FOR TOMORROW TEL: +86 21-6094 5018 | Fax.: +86 21-6094 5020 | www.pafapro.en.alibaba.com



PAFA